

URI WATERSHED WATCH
2009 WATER QUALITY BIWEEKLY MONITORING SCHEDULE
Clean Up Stonington Harbor (CUSH) Sites

All nutrient, bacteria and water-quality monitoring for all **CUSH** sampling will take place between **6 and 8:30 on Wednesday mornings**. Please contact Claire Gavin (860-535-3978) **Clean Up Stonington Harbor (CUSH)** Monitoring Coordinator for volunteer coordination and sample pick-up and delivery information, questions or concerns. Please contact Linda Green or Elizabeth Herron, URI Watershed Watch, 874-2905 /4552 for sampling and testing methods questions or concerns. Also see the URIWW website www.uri.edu/ce/wq/ww.

| 2009 Wednesday Dates | Biweekly monitoring: Collect and run samples in "WORK HORSE" BOTTLES for temperature, chlorophyll, dissolved oxygen | SAMPLES COLLECTED AND DELIVERED TO CUSH COORDINATOR BIWEEKLY |
|----------------------------|--|--|
| May 6 | | |
| May 13 | X | FIRST COLLECTION: May 13 All water sample bottles, chl-a filters |
| 20 | | |
| May 27 | X | Temperature, DO, chl-a filters into freezer (Secchi as appropriate) |
| June 3 | | |
| June 10 | X | Temperature, DO, chl-a filters into freezer (Secchi as appropriate) |
| June 17 | X | SECOND COLLECTION: June 17 All water sample bottles, chl-a filters |
| 24 | | |
| July 1 | X | Temperature, DO, chl-a filters into freezer (Secchi as appropriate) |
| 8 | | <i>Participate in Dip-in...</i> |
| July 15 | X | THIRD COLLECTION: July 15 All water sample bottles, chl-a filters |
| 22 | | |
| July 29 | X | Temperature, DO, chl-a filters into freezer (Secchi as appropriate) |
| August 5 | | |
| August 12 | X | FOURTH COLLECTION: Aug. 12 All water sample bottles, chl-a filters |
| 19 | | |
| August 26 | X | Temperature, DO, chl-a filters into freezer (Secchi as appropriate) |
| Sept. 2 | | |
| Sept. 9 | X | FIFTH COLLECTION: Sept. 9 All water sample bottles, chl-a filters |
| 16 | | |
| Sept. 23 | X | Temperature, DO, chl-a filters into freezer (Secchi as appropriate) |
| 30 | | |
| October 7 | X | Temperature, DO, chl-a filters into freezer (Secchi as appropriate) |
| October 14 | X End of monitoring Return all monitoring equipment | SIXTH COLLECTION Oct. 14 All water sample bottles, chl-a filters |