

URI WATERSHED WATCH
2009 WATER QUALITY BIWEEKLY MONITORING SCHEDULE
SALT POND COALITION PONDS/ STB SITES

All nutrient, bacteria and water-quality monitoring for all Salt Ponds sampling will take place on Wednesday mornings. All monitoring and water sample collections will take place between 6 and 8:30 am on Wednesdays. Please contact Sarah Lim (561-289-7311), Ted Callender (401-322-8877) or Jack Frost (401-322-5001) **Salt Pond Watchers (SPW)** Monitoring Coordinators for volunteer coordination and sample pick-up and delivery information, questions or concerns. Please contact Linda Green or Elizabeth Herron, URI Watershed Watch, 874-2905 /4552 for sampling and testing methods questions or concerns. Also see the URIWW website www.uri.edu/ce/wq/ww.

2009 Wednesday Dates	Biweekly monitoring: Collect and run samples in "WORK HORSE" BOTTLES for temperature, chlorophyll, & dissolved oxygen	SAMPLES COLLECTED AND DELIVERED TO THE USFW OFFICES BIWEEKLY
May 6		
May 13	X	FIRST COLLECTION: May 13 Brown glass & bacteria bottles, chl-a filters
20		
May 27	X	Temperature, DO, chl-a filters into freezer (Secchi as appropriate)
June 3		
June 10	X	Temperature, DO, chl-a filters into freezer (Secchi as appropriate)
June 17	X	SECOND COLLECTION: June 17 Brown glass & bacteria bottles, chl-a filters
24		
July 1	X	Temperature, DO, chl-a filters into freezer (Secchi as appropriate)
8		<i>Participate in Dip-in...</i>
July 15	X	THIRD COLLECTION: July 15 Brown glass & bacteria bottles, chl-a filters
22		
July 29	X	Temperature, DO, chl-a filters into freezer (Secchi as appropriate)
August 5		
August 12	X	FOURTH COLLECTION: Aug. 12 Brown glass & bacteria bottles, chl-a filters
19		
August 26	X	Temperature, DO, chl-a filters into freezer (Secchi as appropriate)
Sept. 2		
Sept. 9	X	FIFTH COLLECTION: Sept. 9 Brown glass & bacteria bottles, chl-a filters
16		
Sept. 23	X	Temperature, DO, chl-a filters into freezer (Secchi as appropriate)
30		
October 7	X	Temperature, DO, chl-a filters into freezer (Secchi as appropriate)
October 14	X End of monitoring Return all monitoring equipment	SIXTH COLLECTION Oct. 14 Brown glass & bacteria bottles, chl-a filters